

Computer generated form "IDS Form" (IDS Folder), Merck & Co., Inc., 8/24/2006

COMPLETE IF KNOWN

Substitute for form 1449B/PTO

INFORMATION DISCLOSURE

STATEMENT BY APPLICANT

(use as many sheets as necessary)



Application Number	10/579,605
Filing Date	May 17, 2006
First Named Inventor	Harada et al.
Group Art Unit	1647
Examiner Name	--
Attorney Docket Number	21350YP

Sheet	2	of	3
-------	---	----	---

NON PATENT LITERATURE DOCUMENTS

Examiner Initials*	Cite No.	Include name of the author, title, date, page(s), volume-issue number(s) and place of publication.
AA		Bafico et al., Nature Cell Biology, Vol. 3 (2001), pp. 683-686, "Novel mechanism of Wnt signalling inhibition mediated by Dickkopf-1 interaction with LRP6/Arrow"
AB		Bennett et al., J. of Biol. Chem., Vol. 277 (2002), pp. 30998-31004, "Regulation of Wnt signaling during adipogenesis"
AC		Boyden et al., N. Eng. J. of Med., Vol. 346 (2002), pp. 1513-1521, "High bone density due to a mutation in LDL-receptor-related protein 5"
AD		Davidson et al., Development, Vol. 129 (2002), pp. 5587-5596, "Kremen proteins interact with Dickkopf1 to regulate anteroposterior CNS patterning"
AE		Fujino et al., PNAS, Vol. 100 (2003), pp. 229-234, "Low-density lipoprotein receptor-related protein 5 (LRP5) is essential for normal cholesterol metabolism and glucose-induced insulin secretion"
AF		Glinka et al., Nature, Vol. 391 (1998), pp. 357-362, "Dickkopf-1 is a member of a new family of secreted proteins and functions in head induction"
AG		Gong et al., Cell, Vol. 107 (2001), pp. 513-523, "LDL receptor-related protein 5 (LRP5) affects bone accrual and eye development"
AH		Hey et al., Gene, Vol. 216 (1998), pp. 103-111, "Cloning of a novel member of the low-density lipoprotein receptor family"
AI		Hsu et al., Molecular and Cellular Biol., Vol. 18 (1998), pp. 4807-4818, "Modulation of transcriptional regulation by LEF-1 in response to Wnt-1 signaling and association with beta-catenin"
AJ		Katagiri et al., J. of Cell Biology, Vol. 127 (1994), pp. 1755-1766, "Bone morphogenetic protein-2 converts the differentiation pathway of C2C12 myoblasts into the osteoblast lineage"
AK		Kato et al., J. of Cell Biology, Vol. 157 (2002), pp. 303-314, "Cbfa1-independent decrease in osteoblast proliferation, osteopenia, and persistent embryonic eye vascularization in mice deficient in Lrp5, a Wnt coreceptor"
AL		Krupnik et al., Gene, Vol. 238 (1999), pp. 301-313, "Functional and structural diversity of the human Dickkopf gene family"
AM		Li et al., The EMBO Journal, Vol. 18 (1999), pp. 4233-4240, "Axin and Frat1 interact with Dvl and GSK, bridging Dvl to GSK in Wnt-mediated regulation of LEF-1"
AN		Little et al., Am. J. Hum. Genet., Vol. 70 (2002), pp. 11-19, "A mutation in the LDL receptor-related protein 5 gene results in the autosomal dominant high-bone-mass trait"
AO		Magoori et al., J. of Biol. Chem., Vol. 278 (2003), pp. 11331-11336, "Severe hypercholesterolemia, impaired fat tolerance, and advanced atherosclerosis in mice lacking both low density lipoprotein receptor-related ..."

ALL REFERENCES CONSIDERED EXCEPT WHERE LINED THROUGH. /DG/

Examiner Signature	/Daniel Gamett/ (03/19/2008)	Date Considered	
--------------------	------------------------------	-----------------	--

*Examiner: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

SEND TO: Commissioner for Patents, P. O. Box 1450, Alexandria, VA 22313-1450.

Computer generated form "IDS Form" (IDS Folder), Merck & Co., Inc., 8/24/2006

